

Photovoltaic bracket anti-corrosion specification requirements

What is solar photovoltaic bracket?

Solar photovoltaic bracket is a special bracket designed for placing, installing and fixing solar panels in solar photovoltaic power generation systems. The general materials are aluminum alloy, carbon steel and stainless steel. The related products of the solar support system are made of carbon steel and stainless steel.

Which material should be used for photovoltaic (PV) support structures?

When it comes to selecting the material for photovoltaic (PV) support structures, it generally adopts Q235B steel and aluminum alloy extrusion profile AL6005-T5. Each material has its advantages and considerations, and the choice depends on various factors. Let's compare steel and aluminum for PV support structures:

What types of solar photovoltaic brackets are used in China?

At present, the solar photovoltaic brackets commonly used in China are divided into three types: concrete brackets, steel brackets and aluminum alloy brackets. Concrete supports are mainly used in large-scale photovoltaic power stations. Because of their self-weight, they can only be placed in the field and in areas with good foundations.

How to choose a corrosion-resistant material for solar cells?

By choosing materials with high inherent corrosion resistance, the vulnerability of solar cell components to corrosion can be significantly reduced. For metallic components, selecting corrosion-resistant metals or alloys, such as stainless steel or corrosion-resistant coatings, can enhance their longevity and performance.

Why is corrosion prevention important in solar panel design & maintenance?

The figure emphasizes the importance of corrosion prevention and control strategies in solar cell panel design and maintenance. Protective coatings, proper sealing techniques, and the use of corrosion-resistant materials are essential for mitigating the impact of corrosion and preserving the long-term performance of solar cell panels.

What is the best material for a PV bracket?

This characteristic makes aluminum a suitable choice for PV installations in coastal areas or locations with high humidity. At present, the main anti-corrosion method of the bracket is hot-dip galvanized steel with a thickness of 55-80 mm, and aluminum alloy with anodic oxidation with a thickness of 5-10 mm.

In environments with high anti-corrosion requirements such as surface fish ponds and coastal tidal flats, an innovative method of wrapping the outside with a polyvinyl chloride sheath and filling the inside with epoxy resin is used to ...

Boyue Photovoltaic Technology Co., Ltd is located in Hebei Province, China, the factory covers an area of

18,000 square meters, and 150 workers, 66 kilometers away from Beijing Airport and 180 kilometers away from Tianjin Xingang. Our ...

Contact us for free full report

Web: <https://publishers-right.eu/contact-us/>

Email: energystorage2000@gmail.com

WhatsApp: 8613816583346

